



#12

SEQUENCE LISTING

(1) GENERAL INFORMATION:

- (i) APPLICANT: RABIN, Mark B.
- (ii) TITLE OF INVENTION: MUTATIONS IN THE BRCA1 GENE
- (iii) NUMBER OF SEQUENCES: 10
- (iv) CORRESPONDENCE ADDRESS:
 - (A) ADDRESSEE: Morgan, Lewis & Bockius LLP
 - (B) STREET: 1111 Pennsylvania Avenue, N.W.
 - (C) CITY: Washington
 - (D) STATE: DC
 - (E) COUNTRY: USA
 - (F) ZIP: 20004
- (v) COMPUTER READABLE FORM:
 - (A) MEDIUM TYPE: Diskette
 - (B) COMPUTER: IBM Compatible
 - (C) OPERATING SYSTEM: Windows
 - (D) SOFTWARE: FastSEQ for Windows Version 2.0b
- (vi) CURRENT APPLICATION DATA:
 - (A) APPLICATION NUMBER: US 09/982,835
 - (B) FILING DATE: 2001-10-22
- (vii) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: US 09/038,946
 - (B) FILING DATE: 1998-03-12
- (viii) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: US 09/697,149
 - (B) FILING DATE: 2000-10-27
- (ix) ATTORNEY/AGENT INFORMATION:
 - (A) NAME: Michael S. Tuscan, Ph.D.
 - (B) REGISTRATION NUMBER: 43,210
 - (C) REFERENCE/DOCKET NUMBER: 44921-5047-02-US
- (x) TELECOMMUNICATION INFORMATION:
 - (A) TELEPHONE: 202-739-3000
 - (B) TELEFAX: 202-739-3001

(2) INFORMATION FOR SEQ ID NO:1:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 5711 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

AGCTCGCTGA	GACTTCCTGG	ACCCCGCACC	AGGCTGTGGG	GTTTCTCAGA	TAAGTGGGCC	60
CCTGCGCTCA	GGAGGCCCTT	ACCCTCTGCT	CTGGGTAAAG	TTCAATTGGAA	CAGAAAAGAA	120
TGGATTTATC	TGCTCTTCGC	GTTGAAGAA	TACAAAATGT	CATTAATGCT	ATGCAGAAAA	180
TCTTAGAGTG	TCCCATCTGT	CTGGAGTTGA	TCAAGGAACC	TGTCTCCACA	AAGTGTGACC	240
ACATATTTTG	CAAAATTTTG	ATGCTGAAAC	TTCTCAACCA	GAAGAAAGGG	CCTTCACAGT	300
GTCCTTTATG	TAAGAAATGAT	ATAACCAAAA	GGAGCCTACA	AGAAAGTACG	AGATTTAGTC	360
AACCTGTGTA	AGAGCTATTG	AAAATCATT	GTGCTTTTCA	GCTTGACACA	GGTTTGGAGT	420
ATGCAAAACAG	CTATAATTTT	GCAAAAAAGG	AAAATAACTC	TCCTGAACAT	CTAAAAGATG	480
AAGTTTCTAT	CATCCAAAGT	ATGGGCTACA	GAAACCGTGC	CAAAAGACTT	CTACAGAGTG	540
AACCCGAAAA	TCCTTCCTTG	CAGGAAACCA	GCTCTCAGTG	CCAACCTCTCT	AACCTTGGA	600
CTGTGAGAAC	TCTGAGGACA	AAGCAGCGGA	TACAACCTCA	AAAGACGTCT	GTCTACATTG	660
AATTTGGGATC	TGATTTCTTCT	GAAGATACCG	TTAATAAGGC	AACTTATTGC	AGTGTGGGAG	720
ATCAAGAAAT	GTTACAAATC	ACCCCTCAAG	GAACCAGGGA	TGAAATCAGT	TTGGATTCTG	780
CAAAAAAGGC	TGCTTGTGAA	TTTTCTGAGA	CGGATGTAAC	AAATACTGAA	CATCATCAAC	840
CCAGTAATAA	TGATTTGAAC	ACCACTGAGA	AGCGTGCAGC	TGAGAGGCAT	CCAGAAAAGT	900
ATCAGGGTAG	TTCTGTTTCA	AACTTGCATG	TGGAGCCATG	TGGCACAAT	ACTCATGCCA	960
GCTCATTACA	GCATGAGAAC	AGCAGTTTAT	TACTCACTAA	AGACAGAATG	AATGTAGAAA	1020
AGGCTGAATT	CTGTAATAAA	AGCAAACAGC	CTGGCTTAGC	AAGGAGCCAA	CATAACAGAT	1080
GGGCTGGAAG	TAAGGAAACA	TGTAATGATA	GGCGGACTCC	CAGCACAGAA	AAAAAGGTAG	1140
ATCTGAATGC	TGATCCCTTG	TGTGAGAGAA	AAGAATGGAA	TAAGCAGAAA	CTGCCATGCT	1200
CAGAGAATCC	TAGAGATACT	GAAGATGTTT	CTTGGATAAC	ACTAAATAGC	AGCATTCAGA	1260
AAGTTAATGA	GTGGTTTTC	AGAAGTGATG	AACTGTTAGG	TTCTGATGAC	TCACATGATG	1320
GGGAGTCTGA	ATCAAATGCC	AAAGTAGCTG	ATGTATTGGA	CGTTCTAAAT	GAGGTAGATG	1380
AATATTCTGG	TTCTTCAGAG	AAAATAGACT	TACTGGCCAG	TGATCCTCAT	GAGGCTTTAA	1440
TATGTAAAAG	TGAAAGAGTT	CACCTCAAAT	CAGTAGAGAG	TAATATTGAA	GACAAAATAT	1500
TTGGGAAAAC	CTATCGGAAG	AAGGCAAGCC	TCCCCAACTT	AAGCCATGTA	ACTGAAAATC	1560
TAATTATAGG	AGCATTTGTT	ACTGAGCCAC	AGATAATACA	AGAGCGTCCC	CTCACAAATA	1620
AATTAAAGCG	TAAAAGGAGA	CCTACATCAG	GCCTTCATCC	TGAGGATTTT	ATCAAGAAAG	1680
CAGATTTGGC	AGTTCAAAAG	ACTCCTGAAA	TGATAAATCA	GGGAACTAAC	CAAACGGAGC	1740
AGAATGGTCA	AGTGATGAAT	ATTACTAATA	GTGGTCATGA	GAATAAAACA	AAAGGTGATT	1800
CTATTCAGAA	TGAGAAAAAT	CCTAACCCAA	TAGAATCACT	CGAAAAAGAA	TCTGCTTTCA	1860
AAACGAAAGC	TGAAAGCTATA	AGCAGCAGTA	TAAGCAATAT	GGAACCTCGAA	TTAAATATCC	1920
ACAATTCAAA	AGCACCTAAA	AAGAATAGGC	TGAGGAGGAA	GTCTTCTACC	AGGCATATTC	1980
ATGCGCTTGA	ACTAGTAGTC	AGTAGAAATC	TAAGCCCACC	TAATTGTACT	GAATTGCAAA	2040
TTGATAGTTG	TTCTAGCAGT	GAAGAGATAA	AGAAAAAAA	GTACAACCAA	ATGCCAGTCA	2100
GGCACAGCAG	AAACCTACAA	CTCATGGAAG	GTAAAGAACC	TGCAACTGGA	GCCAAGAAGA	2160
GTAACAAGCC	AAATGAACAG	ACAAGTAAAA	GACATGACAG	TGATACTTTC	CCAGAGCTGA	2220
AGTTAACAAA	TGCACCTGGT	TCTTTTACTA	AGTGTTCAAA	TACCAGTGAA	CTTAAAGAAT	2280
TTGTCAATCC	TAGCCTTCCA	AGAGAAGAAA	AAGAAGAGAA	ACTAGAAACA	GTTAAAGTGT	2340
CTAATAATGC	TGAAGACCCC	AAAGATCTCA	TGTTAAGTGG	AGAAAGGGTT	TTGCAAACTG	2400
AAAGATCTGT	AGAGAGTAGC	AGTATTTTAC	TGGTACCTGG	TACTGATTAT	GGCACTCAGG	2460
AAAGTATCTC	GTTACTGGAA	GTTAGCACTC	TAGGGAAGGC	AAAAACAGAA	CCAAATAAAT	2520
GTGTGAGTCA	GTGTGCAGCA	TTTGAAAACC	CCAAGGGACT	AATTCATGGT	TGTTCCAAAG	2580
ATAATAGAAA	TGACACAGAA	GGCTTTAAGT	ATCCATTGGG	ACATGAAGTT	AACCACAGTC	2640
GGGAAACAAG	CATAGAAATG	GAAGAAAGTG	AACTTGATGC	TCAGTATTTG	CAGAATACAT	2700
TCAAGGTTTC	AAAGCGCCAG	TCATTTGCTC	TGTTTTCAAA	TCCAGGAAAT	GCAGAAGAGG	2760
AATGTGCAAC	ATTCTCTGCC	CACCTCTGGT	CCTTAAAGAA	ACAAAGTCCA	AAAGTCACTT	2820
TTGAATGTGA	ACAAAAGGAA	GAAAATCAAG	GAAAGAATGA	GTCTAATATC	AAGCCTGTAC	2880
AGACAGTTAA	TATCACTGCA	GGCTTTCTTG	TGGTTGGTCA	GAAAGATAAG	CCAGTTGATA	2940
ATGCCAAATG	TAGTATCAAA	GGAGGCTCTA	GGTTTTGTCT	ATCATCTCAG	TTCAGAGGCA	3000
ACGAAACTGG	ACTCATTACT	CCAAATAAAC	ATGGACTTTT	ACAAAACCCA	TATCGTATAC	3060
CACCACTTTT	TCCCATCAAG	TCATTTGTTA	AACTAAATG	TAAGAAAAAT	CTGCTAGAGG	3120
AAAACCTTGA	GGAACATTCA	ATGTCACCTG	AAAGAGAAAT	GGGAAATGAG	AACATTCCAA	3180
GTACAGTACG	CACAATTAGC	CGTAATAACA	TTAGAGAAAA	TGTTTTTAAA	GGAGCCAGCT	3240
CAAGCAATAT	TAATGAAGTA	GGTTCCAGTA	CTAATGAAGT	GGGCTCCAGT	ATTAATGAAA	3300
TAGGTTCCAG	TGATGAAAAC	ATTCAAGCAG	AACTAGGTAG	AAACAGAGGG	CCAAAATTGA	3360

ATGCTATGCT	TAGATTAGGG	GTTTTGCAAC	CTGAGGTCTA	TAAACAAAGT	CTTCCTGGAA	3420
GTAATTGTAA	GCATCCTGAA	ATAAAAAAGC	AAGAATATGA	AGAAGTAGTT	CAGACTGTTA	3480
ATACAGATTT	CTCTCCATAT	CTGATTTTCAG	ATAACTTAGA	ACAGCCTATG	GGAAGTAGTC	3540
ATGCATCTCA	GGTTTGTTC	GAGACACCTG	ATGACCTGTT	AGATGATGGT	GAAATAAAGG	3600
AAGATACTAG	TTTTGCTGAA	AATGACATTA	AGGAAAGTTC	TGCTGTTTTT	AGCAAAAGCG	3660
TCCAGAGAGG	AGAGCTTAGC	AGGAGTCCTA	GCCCTTTTCAC	CCATACACAT	TTGGCTCAGG	3720
GTTACCGAAG	AGGGGCCAAG	AAATTAGAGT	CCTCAGAAGA	GAACCTTATCT	AGTGAGGATG	3780
AAGAGCTTCC	CTGCTTCCAA	CACCTGTAT	TTGGTAAAGT	AAACAATATA	CCTTCTCAGT	3840
CTACTAGGCA	TAGCACCGTT	GCTACCGAGT	GTCTGTCTAA	GAACACAGAG	GAGAATTTAT	3900
TATCATTTGA	GAATAGCTTA	AATGACTGCA	GTAACCAAGT	AATATTGGCA	AAGGCATCTC	3960
AGGAACATCA	CCTTAGTGAG	GAAACAAAAT	GTTCTGCTAG	CCTGTTTTCT	TCACAGTGCA	4020
GTGAATTGGA	AGACTTGACT	GCAAATACAA	ACACCCAGGA	TCCTTTCTTG	ATTGGTTCTT	4080
CCAAACAAAT	GAGGCATCAG	TCTGAAAGCC	AGGGAGTTGG	TCTGAGTGAC	AAGGAATTGG	4140
TTTCAGATGA	TGAAGAAAGA	GGAACGGGCT	TGGAAGAAAA	TAATCAAGAA	GAGCAAAGCA	4200
TGGATTCAAA	CTTAGGTGAA	GCAGCATCTG	GGTGTGAGAG	TGAAACAAGC	GTCTCTGAAG	4260
ACTGCTCAGG	GCTATCCTCT	CAGAGTGACA	TTTTAACCAC	TCAGCAGAGG	GATACCATGC	4320
AACATAACCT	GATAAGCTC	CAGCAGGAAA	TGGCTGAAC	AGAAGCTGTG	TTAGAACAGC	4380
ATGGGAGCCA	GCCTTCTAAC	AGCTACCCCT	CCATCATTAAG	TGACTCCTCT	GCCCTTGAGG	4440
ACCTGCGAAA	TCCAGAACAA	AGCACATCAG	AAAAAGCAGT	ATTAACCTCA	CAGAAAAGTA	4500
GTGAATACCC	TATAAGCCAG	AATCCAGAAG	GCCTTTCTGC	TGACAAGTTT	GAGGTGTCTG	4560
CAGATAGTTC	TACCAGTAAA	AATAAAGAAC	CAGGAGTGGA	AAGGTCATCC	CCTTCTAAAT	4620
GCCCATCATT	AGATGATAGG	TGGTACATGC	ACAGTTGCTC	TGGGAGTCTT	CAGAATAGAA	4680
ACTACCCATC	TCAAGAGGAG	CTCATTAAGG	TTGTTGATGT	GGAGGAGCAA	CAGCTGGAAG	4740
AGTCTGGGCC	ACACGATTTG	ACGGAAACAT	CTTACTTGCC	AAGGCAAGAT	CTAGAGGGAA	4800
CCCCTTACCT	GGAATCTGGA	ATCAGCCTCT	TCTCTGATGA	CCCTGAATCT	GATCCTTCTG	4860
AAGACAGAGC	CCCAGAGTCA	GCTCGTGTG	GCAACATACC	ATCTTCAACC	TCTGCATTGA	4920
AAGTTCCCCA	ATTGAAAGTT	GCAGAATCTG	CCCAGGGTCC	AGCTGCTGCT	CATACTACTG	4980
ATACTGCTGG	GTATAATGCA	ATGGAAGAAA	GTGTGAGCAG	GGAGAAGCCA	GAATTGACAG	5040
CTTCAACAGA	AAGGGTCAAC	AAAAGAATGT	CCATGGTGGT	GTCTGGCCTG	ACCCCAAGAG	5100
AATTTATGCT	CGTGTACAAG	TTTGCCAGAA	AACACCACAT	CACTTTAACT	AATCTAATTA	5160
CTGAAGAGAC	TACTCATGTT	GTTATGAAAA	CAGATGCTGA	GTTTGTGTGT	GAACGGACAC	5220
TGAAATATTT	TCTAGGAATT	GCGGGAGGAA	AATGGGTAGT	TAGCTATTTT	TGGGTGACCC	5280
AGTCTATTAA	AGAAAGAAAA	ATGCTGAATG	AGCATGATTT	TGAAGTCAGA	GGAGATGTGG	5340
TCAATGGAAG	AAACCACCAA	GGTCCAAAGC	GAGCAAGAGA	ATCCCAGGAC	AGAAAGATCT	5400
TCAGGGGGCT	AGAAATCTGT	TGCTATGGGC	CCTTCACCAA	CATGCCCCA	GATCAACTGG	5460
AATGGATGGT	ACAGCTGTGT	GGTGCTTCTG	TGGTGAAGGA	GCTTTCATCA	TTCACCCTTG	5520
GCACAGGTGT	CCACCCAATT	GTGGTTGTGC	AGCCAGATGC	CTGGACAGAG	GACAATGGCT	5580
TCCATGCAAT	TGGGCAGATG	TGTGAGGCAC	CTGTGGTGAC	CCGAGAGTGG	GTGTTGGACA	5640
GTGTAGCACT	CTACCAGTGC	CAGGAGCTGG	ACACCTACCT	GATACCCCAG	ATCCCCCACA	5700
GCCACTACTG	A					5711

(2) INFORMATION FOR SEQ ID NO:2:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1863 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

Met	Asp	Leu	Ser	Ala	Leu	Arg	Val	Glu	Glu	Val	Gln	Asn	Val	Ile	Asn
1				5				10						15	
Ala	Met	Gln	Lys	Ile	Leu	Glu	Cys	Pro	Ile	Cys	Leu	Glu	Leu	Ile	Lys
		20						25						30	

Glu	Pro	Val	Ser	Thr	Lys	Cys	Asp	His	Ile	Phe	Cys	Lys	Phe	Cys	Met
		35					40					45			
Leu	Lys	Leu	Leu	Asn	Gln	Lys	Lys	Gly	Pro	Ser	Gln	Cys	Pro	Leu	Cys
	50					55					60				
Lys	Asn	Asp	Ile	Thr	Lys	Arg	Ser	Leu	Gln	Glu	Ser	Thr	Arg	Phe	Ser
65					70					75					80
Gln	Leu	Val	Glu	Glu	Leu	Leu	Lys	Ile	Ile	Cys	Ala	Phe	Gln	Leu	Asp
			85						90					95	
Thr	Gly	Leu	Glu	Tyr	Ala	Asn	Ser	Tyr	Asn	Phe	Ala	Lys	Lys	Glu	Asn
		100						105					110		
Asn	Ser	Pro	Glu	His	Leu	Lys	Asp	Glu	Val	Ser	Ile	Ile	Gln	Ser	Met
		115					120					125			
Gly	Tyr	Arg	Asn	Arg	Ala	Lys	Arg	Leu	Leu	Gln	Ser	Glu	Pro	Glu	Asn
	130					135					140				
Pro	Ser	Leu	Gln	Glu	Thr	Ser	Leu	Ser	Val	Gln	Leu	Ser	Asn	Leu	Gly
145					150					155					160
Thr	Val	Arg	Thr	Leu	Arg	Thr	Lys	Gln	Arg	Ile	Gln	Pro	Gln	Lys	Thr
				165					170					175	
Ser	Val	Tyr	Ile	Glu	Leu	Gly	Ser	Asp	Ser	Ser	Glu	Asp	Thr	Val	Asn
		180						185					190		
Lys	Ala	Thr	Tyr	Cys	Ser	Val	Gly	Asp	Gln	Glu	Leu	Leu	Gln	Ile	Thr
		195					200					205			
Pro	Gln	Gly	Thr	Arg	Asp	Glu	Ile	Ser	Leu	Asp	Ser	Ala	Lys	Lys	Ala
	210					215					220				
Ala	Cys	Glu	Phe	Ser	Glu	Thr	Asp	Val	Thr	Asn	Thr	Glu	His	His	Gln
225					230					235					240
Pro	Ser	Asn	Asn	Asp	Leu	Asn	Thr	Thr	Glu	Lys	Arg	Ala	Ala	Glu	Arg
				245					250					255	
His	Pro	Glu	Lys	Tyr	Gln	Gly	Ser	Ser	Val	Ser	Asn	Leu	His	Val	Glu
		260						265					270		
Pro	Cys	Gly	Thr	Asn	Thr	His	Ala	Ser	Ser	Leu	Gln	His	Glu	Asn	Ser
		275					280					285			
Ser	Leu	Leu	Leu	Thr	Lys	Asp	Arg	Met	Asn	Val	Glu	Lys	Ala	Glu	Phe
	290					295					300				
Cys	Asn	Lys	Ser	Lys	Gln	Pro	Gly	Leu	Ala	Arg	Ser	Gln	His	Asn	Arg
305					310					315					320
Trp	Ala	Gly	Ser	Lys	Glu	Thr	Cys	Asn	Asp	Arg	Arg	Thr	Pro	Ser	Thr
				325					330					335	
Glu	Lys	Lys	Val	Asp	Leu	Asn	Ala	Asp	Pro	Leu	Cys	Glu	Arg	Lys	Glu
			340					345					350		
Trp	Asn	Lys	Gln	Lys	Leu	Pro	Cys	Ser	Glu	Asn	Pro	Arg	Asp	Thr	Glu
		355					360					365			
Asp	Val	Pro	Trp	Ile	Thr	Leu	Asn	Ser	Ser	Ile	Gln	Lys	Val	Asn	Glu
	370					375					380				
Trp	Phe	Ser	Arg	Ser	Asp	Glu	Leu	Leu	Gly	Ser	Asp	Asp	Ser	His	Asp
385					390					395					400
Gly	Glu	Ser	Glu	Ser	Asn	Ala	Lys	Val	Ala	Asp	Val	Leu	Asp	Val	Leu
				405					410					415	
Asn	Glu	Val	Asp	Glu	Tyr	Ser	Gly	Ser	Ser	Glu	Lys	Ile	Asp	Leu	Leu
			420					425					430		
Ala	Ser	Asp	Pro	His	Glu	Ala	Leu	Ile	Cys	Lys	Ser	Glu	Arg	Val	His
		435					440					445			
Ser	Lys	Ser	Val	Glu	Ser	Asn	Ile	Glu	Asp	Lys	Ile	Phe	Gly	Lys	Thr
	450					455					460				
Tyr	Arg	Lys	Lys	Ala	Ser	Leu	Pro	Asn	Leu	Ser	His	Val	Thr	Glu	Asn
465					470					475					480
Leu	Ile	Ile	Gly	Ala	Phe	Val	Thr	Glu	Pro	Gln	Ile	Ile	Gln	Glu	Arg

										485						490						495		
Pro	Leu	Thr	Asn	Lys	Leu	Lys	Arg	Lys	Arg	Arg	Pro	Thr	Ser	Gly	Leu									
										500	Phe	Ile	Lys	Lys	Ala	Asp	Leu	Ala	Val	Gln	Lys	Thr		
His	Pro	Glu	Asp							515							520							
Pro	Glu	Met	Ile	Asn	Gln	Gly	Thr	Asn	Gln	Thr	Glu	Gln	Asn	Gly	Gln									
										530							535							
Val	Met	Asn	Ile	Thr	Asn	Ser	Gly	His	Glu	Asn	Lys	Thr	Lys	Gly	Asp									
										545							550							
Ser	Ile	Gln	Asn	Glu	Lys	Asn	Pro	Asn	Pro	Ile	Glu	Ser	Leu	Glu	Lys									
										565							570							
Glu	Ser	Ala	Phe	Lys	Thr	Lys	Ala	Glu	Pro	Ile	Ser	Ser	Ser	Ile	Ser									
										580							585							
Asn	Met	Glu	Leu	Glu	Leu	Asn	Ile	His	Asn	Ser	Lys	Ala	Pro	Lys	Lys									
										595							600							
Asn	Arg	Leu	Arg	Arg	Lys	Ser	Ser	Thr	Arg	His	Ile	His	Ala	Leu	Glu									
										610							615							
Leu	Val	Val	Ser	Arg	Asn	Leu	Ser	Pro	Pro	Asn	Cys	Thr	Glu	Leu	Gln									
										625							630							
Ile	Asp	Ser	Cys	Ser	Ser	Ser	Glu	Glu	Ile	Lys	Lys	Lys	Lys	Tyr	Asn									
										645							650							
Gln	Met	Pro	Val	Arg	His	Ser	Arg	Asn	Leu	Gln	Leu	Met	Glu	Gly	Lys									
										660							665							
Glu	Pro	Ala	Thr	Gly	Ala	Lys	Lys	Ser	Asn	Lys	Pro	Asn	Glu	Gln	Thr									
										675							680							
Ser	Lys	Arg	His	Asp	Ser	Asp	Thr	Phe	Pro	Glu	Leu	Lys	Leu	Thr	Asn									
										690							695							
Ala	Pro	Gly	Ser	Phe	Thr	Lys	Cys	Ser	Asn	Thr	Ser	Glu	Leu	Lys	Glu									
										705							710							
Phe	Val	Asn	Pro	Ser	Leu	Pro	Arg	Glu	Glu	Lys	Glu	Glu	Lys	Leu	Glu									
										725							730							
Thr	Val	Lys	Val	Ser	Asn	Asn	Ala	Glu	Asp	Pro	Lys	Asp	Leu	Met	Leu									
										740							745							
Ser	Gly	Glu	Arg	Val	Leu	Gln	Thr	Glu	Arg	Ser	Val	Glu	Ser	Ser	Ser									
										755							760							
Ile	Ser	Leu	Val	Pro	Gly	Thr	Asp	Tyr	Gly	Thr	Gln	Glu	Ser	Ile	Ser									
										770							775							
Leu	Leu	Glu	Val	Ser	Thr	Leu	Gly	Lys	Ala	Lys	Thr	Glu	Pro	Asn	Lys									
										785							790							
Cys	Val	Ser	Gln	Cys	Ala	Ala	Phe	Glu	Asn	Pro	Lys	Gly	Leu	Ile	His									
										805							810							
Gly	Cys	Ser	Lys	Asp	Asn	Arg	Asn	Asp	Thr	Glu	Gly	Phe	Lys	Tyr	Pro									
										820							825							
Leu	Gly	His	Glu	Val	Asn	His	Ser	Arg	Glu	Thr	Ser	Ile	Glu	Met	Glu									
										835							840							
Glu	Ser	Glu	Leu	Asp	Ala	Gln	Tyr	Leu	Gln	Asn	Thr	Phe	Lys	Val	Ser									
										850							855							
Lys	Arg	Gln	Ser	Phe	Ala	Leu	Phe	Ser	Asn	Pro	Gly	Asn	Ala	Glu	Glu									
										865							870							
Glu	Cys	Ala	Thr	Phe	Ser	Ala	His	Ser	Gly	Ser	Leu	Lys	Lys	Gln	Ser									
										885							890							
Pro	Lys	Val	Thr	Phe	Glu	Cys	Glu	Gln	Lys	Glu	Glu	Asn	Gln	Gly	Lys									
										900							905							
Asn	Glu	Ser	Asn	Ile	Lys	Pro	Val	Gln	Thr	Val	Asn	Ile	Thr	Ala	Gly									
										915							920							
Phe	Pro	Val	Val	Gly	Gln	Lys	Asp	Lys	Pro	Val	Asp	Asn	Ala	Lys	Cys									
										930							935							
																940								

Ser	Ile	Lys	Gly	Gly	Ser	Arg	Phe	Cys	Leu	Ser	Ser	Gln	Phe	Arg	Gly
945					950					955					960
Asn	Glu	Thr	Gly	Leu	Ile	Thr	Pro	Asn	Lys	His	Gly	Leu	Leu	Gln	Asn
				965					970					975	
Pro	Tyr	Arg	Ile	Pro	Pro	Leu	Phe	Pro	Ile	Lys	Ser	Phe	Val	Lys	Thr
				980				985					990		
Lys	Cys	Lys	Lys	Asn	Leu	Leu	Glu	Glu	Asn	Phe	Glu	Glu	His	Ser	Met
				995			1000					1005			
Ser	Pro	Glu	Arg	Glu	Met	Gly	Asn	Glu	Asn	Ile	Pro	Ser	Thr	Val	Ser
	1010					1015					1020				
Thr	Ile	Ser	Arg	Asn	Asn	Ile	Arg	Glu	Asn	Val	Phe	Lys	Gly	Ala	Ser
1025					1030					1035					1040
Ser	Ser	Asn	Ile	Asn	Glu	Val	Gly	Ser	Ser	Thr	Asn	Glu	Val	Gly	Ser
				1045					1050					1055	
Ser	Ile	Asn	Glu	Ile	Gly	Ser	Ser	Asp	Glu	Asn	Ile	Gln	Ala	Glu	Leu
			1060					1065					1070		
Gly	Arg	Asn	Arg	Gly	Pro	Lys	Leu	Asn	Ala	Met	Leu	Arg	Leu	Gly	Val
			1075				1080					1085			
Leu	Gln	Pro	Glu	Val	Tyr	Lys	Gln	Ser	Leu	Pro	Gly	Ser	Asn	Cys	Lys
			1090				1095				1100				
His	Pro	Glu	Ile	Lys	Lys	Gln	Glu	Tyr	Glu	Glu	Val	Val	Gln	Thr	Val
1105					1110					1115					1120
Asn	Thr	Asp	Phe	Ser	Pro	Tyr	Leu	Ile	Ser	Asp	Asn	Leu	Glu	Gln	Pro
				1125					1130					1135	
Met	Gly	Ser	Ser	His	Ala	Ser	Gln	Val	Cys	Ser	Glu	Thr	Pro	Asp	Asp
				1140				1145					1150		
Leu	Leu	Asp	Asp	Gly	Glu	Ile	Lys	Glu	Asp	Thr	Ser	Phe	Ala	Glu	Asn
			1155				1160					1165			
Asp	Ile	Lys	Glu	Ser	Ser	Ala	Val	Phe	Ser	Lys	Ser	Val	Gln	Arg	Gly
			1170			1175				1180					
Glu	Leu	Ser	Arg	Ser	Pro	Ser	Pro	Phe	Thr	His	Thr	His	Leu	Ala	Gln
1185					1190					1195					1200
Gly	Tyr	Arg	Arg	Gly	Ala	Lys	Lys	Leu	Glu	Ser	Ser	Glu	Glu	Asn	Leu
				1205					1210					1215	
Ser	Ser	Glu	Asp	Glu	Glu	Leu	Pro	Cys	Phe	Gln	His	Leu	Leu	Phe	Gly
			1220					1225					1230		
Lys	Val	Asn	Asn	Ile	Pro	Ser	Gln	Ser	Thr	Arg	His	Ser	Thr	Val	Ala
			1235				1240					1245			
Thr	Glu	Cys	Leu	Ser	Lys	Asn	Thr	Glu	Glu	Asn	Leu	Leu	Ser	Leu	Lys
			1250			1255					1260				
Asn	Ser	Leu	Asn	Asp	Cys	Ser	Asn	Gln	Val	Ile	Leu	Ala	Lys	Ala	Ser
1265					1270					1275					1280
Gln	Glu	His	His	Leu	Ser	Glu	Glu	Thr	Lys	Cys	Ser	Ala	Ser	Leu	Phe
				1285					1290					1295	
Ser	Ser	Gln	Cys	Ser	Glu	Leu	Glu	Asp	Leu	Thr	Ala	Asn	Thr	Asn	Thr
			1300					1305					1310		
Gln	Asp	Pro	Phe	Leu	Ile	Gly	Ser	Ser	Lys	Gln	Met	Arg	His	Gln	Ser
			1315				1320					1325			
Glu	Ser	Gln	Gly	Val	Gly	Leu	Ser	Asp	Lys	Glu	Leu	Val	Ser	Asp	Asp
			1330			1335					1340				
Glu	Glu	Arg	Gly	Thr	Gly	Leu	Glu	Glu	Asn	Asn	Gln	Glu	Glu	Gln	Ser
1345					1350					1355					1360
Met	Asp	Ser	Asn	Leu	Gly	Glu	Ala	Ala	Ser	Gly	Cys	Glu	Ser	Glu	Thr
				1365					1370					1375	
Ser	Val	Ser	Glu	Asp	Cys	Ser	Gly	Leu	Ser	Ser	Gln	Ser	Asp	Ile	Leu
			1380					1385					1390		
Thr	Thr	Gln	Gln	Arg	Asp	Thr	Met	Gln	His	Asn	Leu	Ile	Lys	Leu	Gln

1395					1400					1405					
Gln	Glu	Met	Ala	Glu	Leu	Glu	Ala	Val	Leu	Glu	Gln	His	Gly	Ser	Gln
1410					1415					1420					
Pro	Ser	Asn	Ser	Tyr	Pro	Ser	Ile	Ile	Ser	Asp	Ser	Ser	Ala	Leu	Glu
1425					1430					1435					1440
Asp	Leu	Arg	Asn	Pro	Glu	Gln	Ser	Thr	Ser	Glu	Lys	Ala	Val	Leu	Thr
1445					1450					1455					
Ser	Gln	Lys	Ser	Ser	Glu	Tyr	Pro	Ile	Ser	Gln	Asn	Pro	Glu	Gly	Leu
1460					1465					1470					
Ser	Ala	Asp	Lys	Phe	Glu	Val	Ser	Ala	Asp	Ser	Ser	Thr	Ser	Lys	Asn
1475					1480					1485					
Lys	Glu	Pro	Gly	Val	Glu	Arg	Ser	Ser	Pro	Ser	Lys	Cys	Pro	Ser	Leu
1490					1495					1500					
Asp	Asp	Arg	Trp	Tyr	Met	His	Ser	Cys	Ser	Gly	Ser	Leu	Gln	Asn	Arg
1505					1510					1515					1520
Asn	Tyr	Pro	Ser	Gln	Glu	Glu	Leu	Ile	Lys	Val	Val	Asp	Val	Glu	Glu
1525					1530					1535					
Gln	Gln	Leu	Glu	Glu	Ser	Gly	Pro	His	Asp	Leu	Thr	Glu	Thr	Ser	Tyr
1540					1545					1550					
Leu	Pro	Arg	Gln	Asp	Leu	Glu	Gly	Thr	Pro	Tyr	Leu	Glu	Ser	Gly	Ile
1555					1560					1565					
Ser	Leu	Phe	Ser	Asp	Asp	Pro	Glu	Ser	Asp	Pro	Ser	Glu	Asp	Arg	Ala
1570					1575					1580					
Pro	Glu	Ser	Ala	Arg	Val	Gly	Asn	Ile	Pro	Ser	Ser	Thr	Ser	Ala	Leu
1585					1590					1595					1600
Lys	Val	Pro	Gln	Leu	Lys	Val	Ala	Glu	Ser	Ala	Gln	Gly	Pro	Ala	Ala
1605					1610					1615					
Ala	His	Thr	Thr	Asp	Thr	Ala	Gly	Tyr	Asn	Ala	Met	Glu	Glu	Ser	Val
1620					1625					1630					
Ser	Arg	Glu	Lys	Pro	Glu	Leu	Thr	Ala	Ser	Thr	Glu	Arg	Val	Asn	Lys
1635					1640					1645					
Arg	Met	Ser	Met	Val	Val	Ser	Gly	Leu	Thr	Pro	Glu	Glu	Phe	Met	Leu
1650					1655					1660					
Val	Tyr	Lys	Phe	Ala	Arg	Lys	His	His	Ile	Thr	Leu	Thr	Asn	Leu	Ile
1665					1670					1675					1680
Thr	Glu	Glu	Thr	Thr	His	Val	Val	Met	Lys	Thr	Asp	Ala	Glu	Phe	Val
1685					1690					1695					
Cys	Glu	Arg	Thr	Leu	Lys	Tyr	Phe	Leu	Gly	Ile	Ala	Gly	Gly	Lys	Trp
1700					1705					1710					
Val	Val	Ser	Tyr	Phe	Trp	Val	Thr	Gln	Ser	Ile	Lys	Glu	Arg	Lys	Met
1715					1720					1725					
Leu	Asn	Glu	His	Asp	Phe	Glu	Val	Arg	Gly	Asp	Val	Val	Asn	Gly	Arg
1730					1735					1740					
Asn	His	Gln	Gly	Pro	Lys	Arg	Ala	Arg	Glu	Ser	Gln	Asp	Arg	Lys	Ile
1745					1750					1755					1760
Phe	Arg	Gly	Leu	Glu	Ile	Cys	Cys	Tyr	Gly	Pro	Phe	Thr	Asn	Met	Pro
1765					1770					1775					
Thr	Asp	Gln	Leu	Glu	Trp	Met	Val	Gln	Leu	Cys	Gly	Ala	Ser	Val	Val
1780					1785					1790					
Lys	Glu	Leu	Ser	Ser	Phe	Thr	Leu	Gly	Thr	Gly	Val	His	Pro	Ile	Val
1795					1800					1805					
Val	Val	Gln	Pro	Asp	Ala	Trp	Thr	Glu	Asp	Asn	Gly	Phe	His	Ala	Ile
1810					1815					1820					
Gly	Gln	Met	Cys	Glu	Ala	Pro	Val	Val	Thr	Arg	Glu	Trp	Val	Leu	Asp
1825					1830					1835					1840
Ser	Val	Ala	Leu	Tyr	Gln	Cys	Gln	Glu	Leu	Asp	Thr	Tyr	Leu	Ile	Pro
1845					1850					1855					

Gln Ile Pro His Ser His Tyr
1860

(2) INFORMATION FOR SEQ ID NO:3:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 17 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

AATCTTAGAG TGTCCCA

17

(2) INFORMATION FOR SEQ ID NO:4:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 17 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

ATCTTAGTGT CCCACCT

17

(2) INFORMATION FOR SEQ ID NO:5:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 17 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

CAGAAAAAAAA GGTAGAT

17

(2) INFORMATION FOR SEQ ID NO:6:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 17 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

CAGAAAAAAAA AGGTAGA

17

(2) INFORMATION FOR SEQ ID NO:7:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 17 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

AGAGAATCCC AGGACAG

17

(2) INFORMATION FOR SEQ ID NO:8:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 17 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

AGAGAATCCC CAGGACA

17

(2) INFORMATION FOR SEQ ID NO:9:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 17 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

AGGACCTGCG AAATCCA

17

(2) INFORMATION FOR SEQ ID NO:10:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 17 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

AGGACCTGTG AAATCCA

17